

Call to any of these 8 countries can be made from any telephone with STD/ISD facility by dialling the above access codes. The service will also be available on dedicated telephones installed at important places of tourist interests, Air Ports, Five Star Hotels and Telephone Bureaus.

2. On dialling the required code, the call will be answered by the operator at the distant and who will put through the call to the required number on "Collect Call" basis after confirmation from the called number. In respect of calls to USA, AT&T cards can be used.
3. The tariff for each effective call from a dedicated phone will be Rs. 10/- and in case of Dial-up calls the charges will be one metering unit per effective calls.

Improvement of Telephone Facilities in North Bengal Area

1663. SHRI AMAR ROY PRADHAN: Will the Minister of COMMUNICATIONS be pleased to state:

(a) the steps taken by the Government to improve telephone facilities in North Bengal area; and

(b) the details of the work done in the above area?

THE DEPUTY MINISTER IN THE MINISTRY OF COMMUNICATIONS (SHRI P.V. RANGAYYA NAIDU): (a) The large and medium capacities telephone exchanges in North Bengal area have been planned for replacement by electronic exchanges dur-

ing the 8th plan period alongwith provision of STD facilities. In addition, most of the small exchanges are also planned for replacement by electronic exchange progressively during the 8th Plan period.

(b) Details of the work done in the above area is as under:-

- (i) STD facilities have been introduced at Siliguri, Darjeeling, Coochbehar, Kalimpong, Kursoong, Bagdogra, Malda, Raniganj and Balurghat.
- (ii) Exchange capacities at Coochbehar, Silliguri, Kalimpong, Kurseong, Bagdogra, Malda and Balurghat have been increased to meet the demands during the last few years.
- (iii) A 600 lines auto exchange has been commissioned at Raniganj with STD facility replacing the manual exchange.
- (iv) 19 smaller electronic exchanges have been commissioned.

[Translation]

Pension to Widows Handicapped and Old Aged

1664. SHRI B.L. SHARMA PREM: Will the Minister of WELFARE be pleased to state:

(a) whether the quota for all the Members of Parliament to recommend pension to widows, handicapped and old age pension

is same irrespective of the population disparities;

(b) if so, whether the Government propose to increase or decrease the quota according to the population;

(c) if so, the details thereof; and

(d) if not, the reasons therefor?

THE MINISTER OF WELFARE (SHRI SITARAM KESRI): (a) No Sir.

(b) to (d). In view of the reply given against (a) above, question does not arise.

[*English*]

Target for Setting up of Posts and Telegraph Offices in Andhra Pradesh

1655. SHRI M.V.V.S. MURTHY: Will the Minister of COMMUNICATIONS be pleased to state:

(a) the target fixed for setting up of Posts and Telegraph Offices in Visakhapatnam, Vizianagram and Srikakulam districts in Andhra Pradesh for the year 1990-91;

(b) whether the target was achieved;

(c) if not, the reasons therefor; and

(d) the target fixed for the year 1991-92 in Andhra Pradesh district-wise?

THE DEPUTY MINISTER IN THE MINISTRY OF COMMUNICATIONS (SHRI P.V. RANGAYYA NAIDU):

Post Offices

(a) The target fixed for opening of Post offices for the year 1990-91 is as under:-

<i>Name of District</i>	<i>No. of Post offices</i>
1. Vishakhapatnam	2
2. Vizianagaram	2
3. Srikakulam	1

Telegraph Offices

No target for opening of Telegraph offices in Visakhapatnam, Vizianagaram and Srikakulam was fixed.

Post offices

(b) and (c). One extra departmental branch post office in distt. Vishakhapatnam was sanctioned as no other justified proposal was received for these districts during the year 1990-91.

Telegraph Offices:

(b) and (c). In view of reply in (a) question does not arise.

(d) The information is furnished in the attached Statement.

STATEMENT

The district-wise targets for opening of post offices and telegraph offices in Andhra Pradesh

<i>Sl. No.</i>	<i>District</i>	<i>Post Offices</i>	<i>Telegraph offices</i>
1.	Adilabad	1	1
2.	Anantapur	5	3